

September 2018
Volume: 22 Issue: 3

Turkish Journal of Endocrinology and Metabolism

JOURNAL OF THE SOCIETY OF ENDOCRINOLOGY AND METABOLISM OF TURKEY



TÜRKİYE
ENDOKRİNOLOJİ VE
METABOLİZMA
DERNEĞİ

ISSN 1301-2193



Turkish Journal of Endocrinology and Metabolism

JOURNAL OF THE SOCIETY OF ENDOCRINOLOGY AND METABOLISM OF TURKEY

OWNER ON BEHALF OF THE SOCIETY OF ENDOCRINOLOGY AND METABOLISM OF TURKEY

Sevim Güllü, MD

MANAGING CLERICAL DIRECTOR

Nilgün Başkal, MD

ADRESS FOR MANAGEMENT

The Society of Endocrinology and Metabolism of Turkey

Meşrutiyet Caddesi No: 29/12 Kızılay, Ankara, TURKEY

Phone: +90 312 425 20 72

Fax: +90 312 425 20 98

web: www.turkjem.org

E-mail: president@temd.org.tr

Publication Type and Periods

Turkish Journal of Endocrinology and Metabolism is published 4 (March, June, September and December) times a year.

Local perid publication.

The Turkish Journal of Endocrinology and Metabolism is indexed in Emerging Sources of Citation Index (ESCI), British Library, CINAHL, Directory of Open Access Journals (DOAJ), EBSCO, EMBASE, SCOPUS, Tübitak / Ulakbim TR Index, TürkMedline, Türkiye Citation Index.

For requests concerning subscription information and advertising, please contact the Publisher:



Publishing House: Türkiye Klinikleri

Address: Nasuh Akar Mah. Türkocağı Cad. No:30 Balgat - Ankara Turkey

Telephone: +90 312 286 56 56

Fax: +90 312 220 04 70

E-mail: info@turkiyeklinikleri.com

Web page: www.turkiyeklinikleri.com

The services of "Article Tracking (Automation)", "Layout", "Web Site Design-Operation" and "e-Mailing" are provided by Türkiye Klinikleri.

Publication Date: 10.09.2018

ISSN: 1301-2193

E-ISSN: 1308-9846



TÜRKİYE
ENDOKRİNOLOJİ VE
METABOLİZMA
DERNEĞİ

Turkish Journal of Endocrinology and Metabolism

JOURNAL OF THE SOCIETY OF ENDOCRINOLOGY AND METABOLISM OF TURKEY

Owner on Behalf of the Society of Endocrinology and Metabolism of Turkey

Sevim Güllü, Ankara University Faculty of Medicine, Ankara, Turkey

Editor-In-Chief

Nilgün Başkal, Ankara University Faculty of Medicine, Ankara, Turkey

Deputy Editor

Murat Faik Erdoğan, Ankara University Faculty of Medicine, Ankara, Turkey

Associate Editors

Hasan Ali Altunbaş, Akdeniz University Faculty of Medicine, Antalya, Turkey
Dilek Gogas Yavuz, Marmara University Faculty of Medicine, İstanbul, Turkey
Serkan Yener, Dokuz Eylül University Faculty of Medicine, İzmir, Turkey

Statistical Consultant

Atilla Halil Elhan, Ankara, Turkey
Levent Dönmez, Ankara, Turkey
Derya Öztuna, Ankara, Turkey
Can Ateş, Van, Turkey

Language Editor

Jennifer Gabriel, California, USA

Honorary Board

Sema Akalin, Marmara University Faculty of Medicine Retired Lecturer, İstanbul, Turkey
Metin Arslan, Gazi University Faculty of Medicine Retired Lecturer, Ankara, Turkey
Gürbüz Erdoğan, Ufuk University Faculty of Medicine, Ankara, Turkey
Olca Gedik, Hacettepe University Faculty of Medicine Retired Lecturer, Ankara, Turkey
Sadi Güngoğdu, İstanbul University Cerrahpaşa Faculty of Medicine Retired Lecturer, İstanbul, Turkey

Hüsrev Hatemi, İstanbul, Turkey
Şazi İmamoğlu, Uludağ University Faculty of Medicine Retired Lecturer, Bursa, Turkey
Taylan Kabalak, Ege University Faculty of Medicine Retired Lecturer, İzmir, Turkey
Senay Molvalılar, İstanbul, Turkey
Candeğer Yılmaz, Ege University Faculty of Medicine Retired Lecturer, İzmir, Turkey

Editorial Board

Ersin Akarsu, Gaziantep University Faculty of Medicine, Gaziantep, Turkey
Müjde Aktürk, Gazi University Faculty of Medicine, Ankara, Turkey
Faruk Alagöl, Koç University Faculty of Medicine, İstanbul, Turkey
İnan Anaforoğlu, Medical Park International Trabzon Hospital, Trabzon, Turkey
Yalçın Aral, Bozok University Institute of Health Sciences, Yozgat, Turkey
Ayşegül Atmaca, Ondokuz Mayıs University Faculty of Medicine, Samsun, Turkey
Göksun Ayvaz, Liv Hospital, Ankara, Turkey
Ömer Azal, Gulhane Education and Research Hospital, Ankara, Turkey
Mustafa Kemal Balcı, Akdeniz University Faculty of Medicine, Antalya, Turkey
Neslihan Başçıl Tütüncü, Başkent University Faculty of Medicine, Ankara, Turkey
David Baylink, Loma Linda University, California, USA
Fahri Bayram, Erciyes University Faculty of Medicine, Kayseri, Turkey
Erol Bolu, Memorial Atasehir Hospital, İstanbul, Turkey
Bekir Çakır, Yıldırım Beyazıt University Faculty of Medicine, Ankara, Turkey
Mehtap Çakır, Kent Hospital, İzmir, Turkey
Berrin Çetinarslan, Kocaeli University Faculty of Medicine, Kocaeli, Turkey
Ahmet Çorakçı, Ufuk University Faculty of Medicine, Ankara, Turkey
Abdurrahman Çömlekci, Dokuz Eylül University Faculty of Medicine, İzmir, Turkey
Selçuk Dağdelen, Hacettepe University Faculty of Medicine, Ankara, Turkey
Leslie J. De Groot, University of Rhode Island, Kingston, USA
Hatice Sebila Dökmetaş, İstanbul Medipol University Faculty of Medicine, İstanbul, Turkey
Belgin Efe, Eskişehir Osmangazi University Faculty of Medicine, Eskişehir, Turkey
Sevinç Eraslan, Dokuz Eylül University Faculty of Medicine, İzmir, Turkey
Tomris Erbaş, Hacettepe University Faculty of Medicine, Ankara, Turkey
Mehmet Erdoğan, Ege University Faculty of Medicine İzmir, Turkey
Eda Ertörer, Başkent University Adana Dr. Turgut Noyan Hospital, Adana, Turkey
John W. Funder, Monash University, Victoria, Australia
Hossein Gharib, Mayo Clinic, Minnesota, USA

Sait Gönen, İstanbul University Cerrahpaşa Faculty of Medicine, İstanbul, Turkey
Nilgün Güvener, Okan University Faculty of Medicine, İstanbul, Turkey
Serdar Güler, Liv Hospital, Ankara, Turkey
Alptekin Gürsoy, Ankara Güven Hospital, Ankara, Turkey
Zeliha Hekimsoy, Celal Bayar University Faculty of Medicine, Manisa, Turkey
Larry Jameson, Perelman School of Medicine Univ. Of Pennsylvania, Philadelphia, Usa
Pinar Kadioğlu, İstanbul University Cerrahpaşa Faculty of Medicine, İstanbul, Turkey
Ahmet Kaya, Selçuk University Meram Faculty of Medicine, Konya, Turkey
Fahrettin Keleştimur, Health Institutes of Turkey, Ankara, Turkey
Mustafa Kutlu, Gulhane Education and Research Hospital, Ankara, Turkey
Pierre J. Lefebvre, University of Liege Faculty of Medicine, Liege, Belgium
Mesut Özkaya, Dr.Ersin Arslan Training and Research Hospital, Gaziantep, Turkey
Tae Sun Park, Chonbuk National University Medical School, Jeonju, Korea
İhan Satman, İstanbul University İstanbul Faculty of Medicine, İstanbul, Turkey
Fusun Saygılı, Ege University Faculty of Medicine, İzmir, Turkey
Alper Sönmez, Gulhane Education and Research Hospital, Ankara, Turkey
Tümay Sözen, Hacettepe University Faculty of Medicine, Ankara, Turkey
İbrahim Şahin, İnönü University Faculty of Medicine, Malatya, Turkey
Mustafa Şahin, Ankara University Faculty of Medicine, Ankara, Turkey
Refik Tanakol, İstanbul University İstanbul Faculty of Medicine, İstanbul, Turkey
Kubilay Üking, Gayrettepe Florence Nightingale Hospital, İstanbul, Turkey
Betül Uğur Altun, Başkent University İstanbul Hospital, İstanbul, Turkey
Ali Rıza Uysal, Ankara University Faculty of Medicine, Ankara, Turkey
Kürşad Ünlühızcırcı, Erciyes University Faculty of Medicine, Kayseri, Turkey
Ayşe Kubat Özüm, İstanbul University İstanbul Faculty of Medicine, İstanbul, Turkey
Anthony Weetman, The University of Sheffield, Sheffield, UK
Sema Yarman, İstanbul University İstanbul Faculty of Medicine, İstanbul, Turkey
Bülent Okan Yıldız, Hacettepe University Faculty of Medicine, Ankara, Turkey

AIMS AND SCOPE

The Turkish Journal of Endocrinology and Metabolism is the peer-reviewed periodical on clinical and experimental endocrinology and metabolism diseases and related fields. It is the official journal of the Society of Endocrinology and Metabolism of Turkey and is published quarterly (March, June, September and December) as hardcopy and an electronic journal at www.turkjem.org. The manuscripts are published in English language.

The journal publishes original research papers, reviews and case reports which primarily focus on clinical endocrinology. The journal's aim is to be the essential reading for both endocrinologists and clinical practitioners.

Open Access Policy

The Turkish Journal of Endocrinology and Metabolism is an open access journal. This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI) <http://www.budapestopenaccessinitiative.org/>. Instructions for online manuscript submission, current issues and archives of the journal can be found at www.turkjem.org. Please do not send manuscripts to the editorial office. For other related issues you may contact the editorial office:

Subscription information

The Turkish Journal of Endocrinology and Metabolism is distributed free of charge to all endocrinology academicians and instructors serving in our country. Access to full-text articles of all issues of the journal is free at the journal's website www.turkjem.org

Instructions for authors

Instructions for authors are published in the journal pages and can be accessed at the web site of the journal www.turkjem.org

Material Disclaimer

Statements or opinions expressed in the manuscripts published in the Turkish Journal of Endocrinology and Metabolism reflect the views of the author(s) and are not the opinions of the editors, the editorial board and the publisher. The editors, editorial board and the publisher disclaim any responsibility or liability for such materials.

Advertising Policy

The Turkish Journal of Endocrinology and Metabolism is Turkish Journal of Endocrinology and Metabolism receives advertising support for its print and electronic editions and maintains editorial integrity through policies that define the Editorial/Advertiser relationship:

- Print and electronic advertising does not influence editorial decisions, and advertising is not an endorsement by the Publisher, Editor, or the Editorial Board.
- Turkish Journal of Endocrinology and Metabolism reserves the right to refuse any advertising for any reason preserving the conditions consistent with the journal's high standards of healthcare editorial.
- Editors have full and final authority for approving print and electronic advertisements and for enforcing the advertising policy.
- Print advertisements are interspersed throughout the journal but do not interrupt the flow articles. The journal website contains online banner advertising.
- To avoid implied endorsement by the Journal, the article, or the authors of the article; advertisements are not adjacent to articles addressing the product or its disease state.
- The Publisher reserves the right to print the word "Advertisement" on any advertisement where it may not be clear, so readers can distinguish readily between advertising and editorial. It is the responsibility of the advertiser and its agencies to adhere to appropriate legal requirements and regulations. For all advertising information, please contact reklam@turkiyeklinikleri.com

The journal is printed on acid-free paper.

All rights are reserved. Rights to the use and reproduction, including in the electronic media, of all communications, papers, photographs and illustrations appearing in this journal belong to the Turkish Journal of Endocrinology and Metabolism. Reproduction without prior written permission of part or all of any material is forbidden. The journal complies with the Professional Principles of the Press.

The paper used the print this journal conforms to ISO 9706: 1994 standard (Requirements for Permanence). The National Library of medicine suggests that biomedical publications be printed on acid free paper (alkaline paper).

Reviewing the articles' conformity to the publishing standards of the Journal, typesetting, reviewing and editing and editing the manuscripts and abstracts in English and publishing process are realized by Türkiye Klinikleri.



TÜRKİYE
ENDOKRİNOLOJİ VE
METABOLİZMA
DERNEĞİ

Turkish Journal of Endocrinology and Metabolism

JOURNAL OF THE SOCIETY OF ENDOCRINOLOGY AND METABOLISM OF TURKEY

INSTRUCTIONS FOR AUTHORS

Turkish Journal of Endocrinology and Metabolism (Turk J Endocrinol Metab) issues papers on all aspects of endocrinology. The journal is the scientific publishing organ of the Society of Endocrinology and Metabolism of Turkey and has been published quarterly (March, June, September and December) since 1997. In addition to original articles, case reports, review articles, letters to the editor, educational articles, sections of question and answers, abstracts from literature and announcements of congresses/meetings are also published. Turkish Language Institution dictionary and orthography guide should be taken as basic for literary. The idioms used should be checked. The scientific and ethical liability of the manuscripts belongs to the authors and the copyright of the manuscripts belongs to the Turkish Journal of Endocrinology and Metabolism. The authors should submit the signed copyright transfer form together with their manuscripts. Authors are responsible for the contents of the manuscript and accuracy of the references. The authors should guarantee that their manuscripts has not been published and/or is not under consideration for publication in any other periodical. This requirement does not apply to papers presented in scientific meetings and whose summaries, not exceeding 250 words, are published. In this case, however, the name, date and place of the meeting in which the paper was presented should be stated. The signed statement of scientific contributions and responsibilities of all authors is required.

The Turkish Journal of Endocrinology and Metabolism does not charge any article submission or processing charges.

Peer-review

Editorial policies of the journal are conducted according to the rules advised by Council of Science Editors and reflected in the Uniform Requirements for Manuscripts Submitted to Biomedical Journals: Writing and Editing for Biomedical Publication (<http://www.icmje.org/>).

Submitted manuscripts are subjected for double-blind peer-review. The scientific board guiding the selection of the papers to be published in the Journal consists of elected experts of the Journal and if necessary, selected from national and international experts in the relevant field of research. All manuscripts are reviewed by the editor, section associate editors and at least three internal and external expert referees. All research articles undergo review by statistical editor as well.

Submitted manuscripts are also subjected for the evaluation of plagiarism, duplicate publication by automatic software. Authors are obliged to acknowledge if they published study results in full or in part in form of abstracts.

The authors of the accepted manuscripts should be in consent that the editor and associate editors could make corrections without changing the main text of the paper. Manuscript format should be in accordance with Uniform Requirements for Manuscripts Submitted to Biomedical Journals: Writing and Editing for Biomedical Publication (<http://www.icmje.org/>).

For details: <http://www.turkjem.org/pages/peer-review-ethic-5>

General Guidelines

Manuscripts can only be submitted electronically through the web site (<http://www.turkjem.org>) after creating an account. This system allows online submission and peer-review. The manuscripts are archived according to ICMJE-www.icmje.org, Index Medicus (Medline/PubMed) and Ulakbim-Turkish Medicine Index Rules. Rejected manuscripts, except artwork are not returned.

For the experimental, clinical and drug human studies, approval by ethical committee and statement on the adherence of the study protocol to the international agreements (Helsinki Declaration revised 2013 (<https://www.wma.net/wp-content/uploads/2016/11/DoH-Oct2013-JAMA.pdf>)) are required. In experimental animal studies, the authors should indicate that the procedures followed were in accordance with animal rights (Guide for the care and use of laboratory animals,

<https://www.nap.edu/read/12910/chapter/1>) and they should obtain animal ethic committee approval. The Ethic Committee approval document should be submitted to the Turkish Journal of Endocrinology and Metabolism together with the manuscript.

The approval of the ethic committee, statement on the adherence to international guidelines mentioned above and that the patients' informed consent is obtained should be indicated in the 'Material and Method' section and is required for case reports whenever data/media used could reveal identity of the patient. The declaration of the conflict of interest between authors, institutions, acknowledgment of any financial or material support, aid is mandatory for authors submitting manuscript and the statement should appear at the end of manuscript. Reviewers are required to report if any potential conflict of interest exists between reviewer and authors, institutions.

Original Articles

Clinical research should comprise clinical observation, new techniques or laboratory studies. Provided that these manuscripts are written with lower-case letters, they should include the title in Turkish/English, the background and the key words in Turkish/English, introduction, materials and methods, results (findings), discussion, references, tables, charts, pictures and they should be written in accordance with Journal Agent rules. They should not exceed sixteen (A4) pages.

It is recommended to present research articles and meta-analysis/systematic reviews article according to the guidelines on specific design of the study: randomized studies (CONSORT), observational studies (STROBE), studies on diagnostic accuracy (STARD), meta-analysis and systematic review (PRISMA, MOOSE) and other study designs (www.equator-network.org).

Author Information

The name and the surname of the authors should be written without abbreviation. The academic titles, the affiliations and the addresses of these affiliations should be clearly declared. Furthermore, the contact information of the corresponding author should be entered to the system. Since e-mail will be used primarily for the contact with the authors, the e-mail of the corresponding author should be indicated. In addition the phone and the fax numbers should be also indicated.

Title Page

This page should include the titles of the manuscript, key words and running titles. In Turkish manuscripts the title in English should also take place. Likely, Turkish title should be mentioned for articles in foreign language. If the content of the paper has been previously presented or its abstract has been published, an explanation should be made in this page about this issue. If there are any grants and other financial supports by any institutions or firms for the study, information must be provided by the authors.

Abstract

Turkish and English summaries of the manuscript should take place in a manner that it will not exceed 250 words. The keywords should be written at the end of the summary. The references should not be cited in the summary section. As far as possible, use of abbreviations is to be avoided. If any abbreviations are used, they must be taken into consideration independently of the abbreviations used in the text. The summary should be written with four running titles.

Purpose: The goal of the study should be clearly stated.

Material and Method: The study should be defined, the standard criteria; it should be also indicated whether the study is randomized or not, whether it is retrospective or prospective, the statistical method, if any, should be indicated.

Results (Findings): The detailed result of the study should be given and the statistical significance level should be indicated.



TÜRKİYE
ENDOKRİNOLOJİ VE
METABOLİZMA
DERNEĞİ

Turkish Journal of Endocrinology and Metabolism

JOURNAL OF THE SOCIETY OF ENDOCRINOLOGY AND METABOLISM OF TURKEY

INSTRUCTIONS FOR AUTHORS

Discussion: It should reflect the results of the study, the favorable and unfavorable aspects should be declared.

Key words: At least three and maximum eight key words. (in English and in Turkish) Do not use abbreviations in the key words. Turkish key words will be provided by the editorial office for the authors who are not Turkish speakers. If you are not a native Turkish speaker, please re-enter your English keywords to the area provided for the Turkish keywords. English key words should be provided from Medical Subject Headings (<http://www.nlm.nih.gov/mesh/>) while Turkish key words should be provided from <http://www.bilimterimleri.com>.

Original researches should have the following sections;

Introduction

Brief explanation about the topic should be done, the objective of the study should be indicated and these should be supported by the literature information.

Materials and Methods

The study design should be described, it should be indicated whether it is interventional randomized or observational, whether it is retrospective or prospective, the number of trials, the characteristics, studied variables and specific methods, the used statistical methods should be indicated. If any, it should be indicated that the results should be scrutinized.

Results (Findings)

The results should be given, the tables and the pictures should be given in numerical order and, the results should be indicated as % and/or p-values.

Discussion

The obtained values should be discussed with its favorable and unfavorable aspects and, they should be compared with literature.

Study Limitations: Study Limitations and strengths, and directions for further research or implication must be discussed.

Conclusion: The conclusion of the study should be highlighted.

Authors contributions, Declaration of conflict of interest and Acknowledgements should appear at the end of the main text of manuscript.

References

Accuracy of reference data is the author's responsibility. References should be numbered according to the consecutive citation in the text. References should be indicated by parenthesis in the text. If there is Turkish Reference, attention should be paid to indicate this. Journal titles should be abbreviated according to the style used in the Index Medicus. All the references, books, papers and similar articles should be cited as references should be written according to the rules of the International Committee of Medical Journal Editors Uniform Requirements for Manuscripts Submitted to Biomedical Journals (http://www.nlm.nih.gov/bsd/uniform_requirements.html).

Journal: The surnames of the authors and the initial of authors' names, the title of the paper, the title of the journal (the original abbreviation stated in the journal), year, volume and the page numbers.

Example: Collin JR, Rathbun JE. Involuntal entropion: a review with evaluation of a procedure. Arch Ophthalmol. 1978;96:1058-1064.

Book with a Single Author: The surname and the initial of the author, the title, chapter and section, the name of the editor, title of the book, place of publication, name of the printing house, year of print, page numbers.

Example: Herbert L. Conjunctivitis, keratitis and infections of periorbital structures. In: Armstrong D, Cohen J, eds. The Infectious Diseases (1st ed). Philadelphia; Mosby Harcourt; 1999;11;1-8.

Book Chapter: The surname and the initial of the author, chapter and section, name of the editor, title of the book, place of publication, name of the printing house, year of print, page numbers.

Example: O'Brien TP, Green WR. Periocular Infections. In: Feigin RD, Cherry JD, eds. Textbook of Pediatric Infectious Diseases (4th ed). Philadelphia; W.B. Saunders Company;1998:1273-1278.

Visual Materials (Tables, Graphics, Figures, and Pictures): All tables, graphics or figures should be enumerated according to the sequence within the text and a brief descriptive caption should be written. The abbreviations used should be definitely explained in the figure's legend. Especially, the text of tables should be easily understandable and should not repeat the data of the main text. Illustrations that already published are acceptable if supplied by permission of authors for publication. The details of the pictures should be distinguishable and they should be recorded in JPEG format and in 500 pixels per inch at least.

Case Reports

It should consist of the title, summary, key words, summary in English, key-words, introduction, case report, discussion and references, the case or the cases should be worth to be presented, it should contribute to literature, and all of them should not exceed 5 papers in (A4) sizes.

Review

It should include new topics, the own experiences of the author, if possible, and the references also. It should consist of the title in Turkish, the summary, the keywords, the title in English, the summary in English and the keywords in English.

Letters to the Editor

They should be essays in the "review" manner in various topics or the essays concerning the articles published in the Turkish Journal of Endocrinology and Metabolism with the contributive content or contents as questions that do not exceed 200 words.

Scientific Letters

The manuscripts should be error-free in the summaries compiled from the articles in other journals, the author names (surname, name) should be written, the journal title should be written with its original abbreviation, its year should be indicated and, the name and he surname of the translator should be indicated under the manuscript.

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Correspondence

All correspondences can be done to the following postal address or to the following e-mail address, where the journal editorial resides:

Address: Ankara University Faculty of Medicine, Department of Endocrinology and Metabolism, Ankara, Turkey

Phone: +90 312 508 21 00

Fax: +90 312 309 45 05

E-mail: nilgun.baskal@temd.org.tr

"This journal licenced under the terms of the Creative Commons 4.0 International Licence (CC BY 4.0)"

CONTENTS

Original Articles

- 145** Ischemia Modified Albumin Levels in Patients with Diabetic Nephropathy
Diyabetik Nefropatili Hastalarda İskemi Modifiye Albumin Düzeyleri
K. Udaya Bhaskhar, Harini Devi N., Aparna R. Bitla, Srinivasa Rao PVLN., Siva Kumar V., Alok Sachan B.
- 151** Paraoxonase 1 Activity and its Polymorphism in Type 2 Diabetic Nephropathy
Tip 2 Diyabetik Nefropatide Paraoksonaz 1 Aktivitesi ve Polimorfizmi
Mukund R. Mogarekar, Mahendrakumar G. Dhabe, Mayuri M. Palmate
- 158** Nodular Thyroid Disease and Papillary Thyroid Carcinoma in Functional Pituitary Adenomas
Fonksiyonel Hipofiz Adenomlarında Nodüler Tiroid Hastalığı ve Papiller Tiroid Kanseri
Sema Çiftçi Doğanşen, Gülşen Yenidünya Yalın, Seher Tanrıkulu, Sema Yarman
- 167** Relationship of Decreased Circulating Apelin Levels with Growth Hormone,
Insulin-like Growth Factor, Carotid Intima-media Thickness, and Epicardial Fat Thickness in Acromegaly
Akromegalide Dolaşımdaki Apelin Düzeylerinin Büyüme Hormonu, İnsülin Benzeri Büyüme Faktörü,
Karotis İntima Media Kalınlığı ve Epikardiyal Yağ Kalınlığı ile İlişkisi
Mehmet Çalan, Mustafa Demirpençe
- 176** Relation of 18F-FDG PET/CT Positivity with Tumor Cytopathology, Galectin-3, PTEN,
Ki-67 and NIS Expressions in Thyroid Nodules
Tiroid Nodüllerinde 18F-FDG PET/BT Tutulumu ile Tümör Sitopatolojisi, Galectin-3,
PTEN, Ki-67 ve NIS Ekspresyonları Arasındaki İlişki
Güzin Çakmak, Berna İmge Aydoğan, Cevriye Cansız Ersöz, Elgin Özkan,
Serpil Dizbay Sak, Sevim Güllü

Review Article

- 183** Use of Biphasic Insulin Aspart 30 in Type 2 Diabetes Treatment: Expert Panel Recommendations
Tip 2 Diyabet Tedavisinde Bifazik İnsülin Aspart 30 Kullanımı: Uzman Paneli Görüşleri
Sema Akalın, Hasan Aydın, Mustafa Kemal Balcı, Abdurrahman Çömlekçi, Nevin Dinççağ, Tomris Erbaş,
Halil Önder Ersöz, Dilek Gogas Yavuz, Sevim Güllü, İbrahim Şahin, Zeynep Oşar Siva, Kürşad Ünlühızarcı

Case Reports

- 198** Two Cases of Bullous Pemphigoid Induced by Vildagliptin
Vildagliptinle İndüklene İki Büllöz Pemfigoid Vakası
Aslı Doğruk Ünal, Özlem Üstay Tarçın, Gülşen Tükenmez Demirci, Ebru Demiralay,
Ayşe Tülin Mansur, Şemsi Yıldız, Nilgün Güvener Demirağ
- 204** A Case of Thyroid Hemiagenesis: An Exceptional Case
Tiroid Hemiogenezi Vakası: Sıra Dışı Bir Vaka
Banu Şarer Yürekli, Nilüfer Özdemir Kutbay, Mehmet Erdoğan, Özer Makay, Gökhan İçöz, Gökhan Özgen
- 208** Severe Lipodystrophy and Gynecomastia in a Male Patient
on Lopinavir-based Second-line Antiretroviral Therapy
Şiddetli Lipodistrofi ve Jinekomiastisi Olan Erkek Hastada
Lopinavir Tabanlı İkinci Basamak Antiretroviral Tedavi
Alpesh Goyal, Ashutosh Biswas
- 213** Dapagliflozin-Induced Vulvovaginitis in an Atopic Patient with Type 2 Diabetes Mellitus
Tip 2 Diabetes Mellituslu Atopik Hastada Dapagliflozin Kaynaklı Vulvovajinit
Narin Nasıroğlu İmga, Merve Çatak, Dilek Berker